

This user manual is provided as a free service by FixYourDLP.com. FixYourDLP is in no way responsible for the content of this manual, nor do we guarantee its accuracy. FixYourDLP does not make any claim of copyright and all copyrights remain the property of their respective owners.

### About FixYourDLP.com

FixYourDLP.com (http://www.fixyourdlp.com) is the World's #1 resource for media product news, reviews, do-it-yourself guides, and manuals.

Informational Blog: http://www.fixyourdlp.com Video Guides: http://www.fixyourdlp.com/guides User Forums: http://www.fixyourdlp.com/forum

FixYourDLP's Fight Against Counterfeit Lamps: http://www.fixyourdlp.com/counterfeits

# Sponsors:

RecycleYourLamp.org – Free lamp recycling services for used lamps: http://www.recycleyourlamp.org

Lamp Research - The trusted 3rd party lamp research company: http://www.lampresearch.com

Discount-Merchant.com – The worlds largest lamp distributor: http://www.discount-merchant.com



### HOME ENTERTAINMENT





3 Panel 0.9" LCD Projector

Type

**Projection System** 

## **DP-1500X** LCD Projector

## Another Great Vivitar Product!

	$\alpha$	***	roc.
$\Gamma$		tu	
	-		

- High Quality XGA Projection (1024 x 768)
- 1800 ANSI Lumens
- Accepts All Standard Signal Inputs:
  - Composite Video From VHS/DVD Player, TV, Playstation, PS2, XBox, Camcorder, or Digital Camera
  - S-Video From DVD Player or VHS Player
  - Component Video
  - VGA or DVI Signal From Your Desktop or Notebook Computer
- Includes IR Remote Controller With **Integral Laser Pointer**
- Picture-In-Picture Capability
- Remote Mouse Function (option)
- Integral Speakers
- Manual Zoom

) 281-8860

**Projector Modes** Front, rear, ceiling Resolution 1024 x 768 x 3 1800 ANSI Lumens **Brightness** 85% Uniformity Zoom Manual zoom (1.3X) Lens Focal length: 37.8 - 49.2mm Remote Control IR Remote (Included) with laser pointer **Contrast Ratio** 400:1 Screen Size 40-300 Inches **Projection Distance** 5-50 feet (1.64 - 16.35 Meter) **Projection Angle** 21º - 27º Compatibility Horizontal frequency 15-91 KHz Vertical frequency 50-85 Hz Pixel rate 12-157 MHz Color 24 Bits **Keystone Correction** +/- 15 Degree horizontal Video-graphics, graphics on video Audio System 2 Channels, 1 W per channel Video Inputs NTSC, PAL, or SECAM. Composite, component, or S-Video, signals. Input Source Automatic detection of: computer graphics or DVI; component, composite, or s-video OSD Languages (2) English, Chinese Accessories Power cord, VGA, and Video cables, carrying case 150 W UHE Lamp Lamp Life Expectancy 2000 Hours **Acoustic Noise** < 38 dB **Power Input** 100-240 V, 50-60 Hz **Power Consumption** 210 W Weight 7.9 Lbs. (3.6KG) Dimensions DLP.com 11.7 (W) x 9.8 (D) x 3.8 (H) Inches (297 x 248 x 96mm) Warranty One year - excluding lamp Specifications subject to change without notice  ${}^{\complement}$  2003 Vivitar Corporation.

DP-1500X

**VIVITAR Corporation** 1280 Rancho Conejo Blvd. Newbury Park, CA 91320



This user manual is provided as a free service by FixYourDLP.com. FixYourDLP is in no way responsible for the content of this manual, nor do we guarantee its accuracy. FixYourDLP does not make any claim of copyright and all copyrights remain the property of their respective owners.

### About FixYourDLP.com

FixYourDLP.com (http://www.fixyourdlp.com) is the World's #1 resource for media product news, reviews, do-it-yourself guides, and manuals.

Informational Blog: http://www.fixyourdlp.com Video Guides: http://www.fixyourdlp.com/guides User Forums: http://www.fixyourdlp.com/forum

FixYourDLP's Fight Against Counterfeit Lamps: http://www.fixyourdlp.com/counterfeits

# Sponsors:

RecycleYourLamp.org – Free lamp recycling services for used lamps: http://www.recycleyourlamp.org

Lamp Research - The trusted 3rd party lamp research company: http://www.lampresearch.com

Discount-Merchant.com – The worlds largest lamp distributor: http://www.discount-merchant.com

